

RecyclePro RECYCLING & WASTE Receptacles







www.fibrexgroup.com

RecyclePro

The RecyclePro Value Recycling/Waste Receptacles are designed for indoor/outdoor use and have an all weather finish. The outer bodies are protected from weather conditions by special high temperature baked on powder coat finishes which are applied to galvanized steel and/or solid aluminum bodies. All receptacles also have a rust and corrosion resistant aluminum base and are supplied with heavy gauge, seamless, hand-spun aluminum covers. The RecyclePro Recycling/Waste Receptacles are durable as well as handsome.

RecyclePro Recycling/Waste Receptacles have covers and bodies that are silk screened with clear messages and logos that look professional and last indefinitely. We allow you to choose the message/logo you want for each opening of our recycling receptacles. For a minimal set-up fee, custom messages, corporate, & government branding can be easily created by our art department for inclusion on your units. Available in three different sizes, these





smartly designed recycling receptacles are already a favorite of commercial facility managers and recycling coordinators across the country. Make RecyclePro Recycling Receptacles your preferred collection choice!



All units are available in various openings & combinations







RecyclePro1 Units w/ Steel Liner							
Catalog Diameter Height Capacity Weigh							
M-1232	12"	30"	12 gallons	24 lbs.			
M-1532	15"	30"	16 gallons	33 lbs.			
M-2032	20"	30"	33 gallons	48 lbs.			



	RecyclePro Half-Round Units w/ Steel Liner							
Catalog Diameter Height Capacity Weig								
	1889	18"	30"	14 gallons	24 lbs.			

RecyclePro Value Series Connected



RecyclePro Double Value Modular Linear Units Model Sizes (Available with or w/o 72" sign post):								
Catalog	Catalog Diameter Height Capacity Weight							
1242-2	12"	30"	15 gallons	24 lbs.				
1542-2	15"	30"	23 gallons	30 lbs.				
2042-2	20"	30"	41 gallons	56 lbs.				

RecyclePro Triple Value Modular Linear Units Model Sizes (Available with or w/o 72" sign post):								
Catalog	log Diameter Height Capacity Weight							
1242-3	12"	30"	15 gallons	36 lbs.				
1542-3	15"	30"	23 gallons	45 lbs.				
2042-3	20"	30"	41 gallons	84 lbs.				





RecyclePro Quad Value Modular Linear Units Model Sizes (Available with or w/o 72" sign post):								
Catalog	Diameter Height Capacity Weight							
1242-4	12"	30"	15 gallons	48 lbs.				
1542-4	15"	30"	23 gallons	60 lbs.				
2042-4	20"	30"	41 gallons	112 lbs.				

RecyclePro Triangular Units Model Sizes (Available with or w/o 72" sign post):								
Catalog	Catalog Diameter Height Capacity Weight							
1242-T	12"	30"	15 gallons	36 lbs.				
1542-T	15"	30"	23 gallons	45 lbs.				
2042-T	20"	30"	41 gallons	84 lbs.				



RecyclePro Customization Options

2 Metal Finishes

Metal Finish SA Satin Aluminum Metal Finish BE Satin Brass

29 Designer Powder Coat Finishes



Available Messages

WASTE	PAPER	BOTTLES	BOTTLES CANS	CANS	NEWSPAPER	GLASS	PLASTIC	0	RECYCLE
MIXED PAPER	GLASS PLASTIC ALUMINUM	BOTTLES CANS PAPER	COMPOST	PAPER PLASTIC ALUMINUM	BOTTLES CANS PAPER	TRASH	COMPOSTABLE	NEWSPAPER GLASS ALUMINUM	ALUMINUM PLASTIC
RECYCLING	MIXED RECYCLING	RETURNABLE BOTTLES & CANS	BOTTLES & CANS ONLY	ALUMINUM CANS GLASS & PLASTIC BOTTLES	PLASTIC - PAPE	ER . CANS	WASTE AND GLASS	à RECYCLE	ONLY - NO TRASH

Features:

- Made with between 30% and 70% recycled content
- Styles and finishes for every facility
- All metal fire safe construction
- 20 designer finishes and 2 metal finishes
- Unique design maximizes efficient use of space
- Manufactured in USA
- Indoor/Outdoor all weather construction

- Custom finish combinations available
- Engineered for durability
- Custom silk screened messages and logos
- Sizes of 12", 15" and 20" diameter
- Capacities ranging from 12-41 gallons
- Optional outdoor canopy tops available
- Optional designer decorative bands available









Fibrex Group Inc, 4165 Pruden Blvd, Suffolk, VA 23434 - www.fibrexgroup.com Toll free: 1-800-346-4458 - Fax 1-800-444-8380 - E-mail: ruben@fibrexgroup.com